

# **The DAN Website**

## **Table Set Up**

# **DE20**

# ***INDEX***

<b>TOPIC</b>	<b>PAGE</b>
Login .....	<b>3</b>
Settings – Introduction .....	<b>10</b>
• User Password .....	<b>10</b>
• Breakfast Product .....	<b>11</b>
• Lunch/Dinner Product .....	<b>12</b>
• Despatch/Other Product .....	<b>13</b>
• Receivables Product .....	<b>14</b>
• Suppliers .....	<b>15</b>


## LOGIN

Refer 'DAN – ACCESSING YOUR SYSTEM'

Once you have successfully logged onto your system on the DAN website, the index can be found across the top of the page, below the blue banner. A detailed explanation of each index item is provided below. To return to the 'main' index from a sub index place your cursor over the word 'main' and select 'Index'

### IMPORTANT NOTES:

1. These notes cover the operational aspects of the DAN web site.
2. When **ANY** change is made to a page it is necessary to scroll to the bottom of the page and **submit** the change. Once accepted by the DAN server you will be required to click '**OK**' to confirm the change.
3. SMS Messages will only be sent if the facility has been activated (refer – communication setup).
4. Any shaded field cannot be changed.
5. The maximum allowable number of characters that may be entered into any SMS message window is 98.
6. Search procedures are detailed for standard search facilities (Data and Alarm). Other search procedures follow the same pattern and may change from time to time.



The screenshot displays the DAN web interface. At the top is a blue banner with the DAN logo (Data Acquisition Networks) and the text "Powerful Web Based Data Logging Solutions". Below the banner is a navigation bar with links: Main, Search, System, Settings, and Logout. The main content area is titled "Database" and contains a "DEVICE IDENTIFICATION" section. Under this section, the "SERIAL NUMBER" is displayed as "09092222 | DE20 Unit2". Below the serial number, there are three sub-sections: "MAIN", "SEARCH", and "SYSTEM", each with a list of functions:

- MAIN**
  - Consists of index and change device pages
- SEARCH**
  - Search on database for real-time measurement data and alarms
- SYSTEM**
  - Edit main system and communication properties
  - From system properties page you have access to user and device accounts

## INTRODUCTION – TABLES SET UP

There are a number of tables to be set up in this section. Each may be accessed by scrolling down the page:

- User Password Table
- Breakfast Product Table
- Lunch Dinner Product Table
- Despatch Table
- Receivables Table

The Tables page is found by passing your cursor over the 'Settings' item and clicking on the drop down for 'Tables'. The tables are arranged on one page. The examples used here are typical of food HACCP requirements and are used demonstrate set up in principal. Table names and sizes may be altered depending on the application. (Refer to DE20 Table set up)

## SETTINGS – Tables – User Password Table

The screenshot shows the DAN web interface. At the top is a banner with the DAN logo and the text 'Powerful Web Based Data Logging Solutions'. Below the banner is a navigation bar with 'Main', 'Settings', and 'Logout' links. Below the navigation bar is a blue bar with the text 'Tables for ( 09092222 | DE20 Unit2 )'.

User/Password Table ( 1 users )					
User Name	Password	In Use	User Name	Password	In Use
MonaVale	7410	<input checked="" type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

### TABLE HEADING

User Password Table (X users). The number 'X' indicates the number of users who have been issued passwords for this unit. Maximum number of users allowed is 10.

### COLUMN HEADINGS

#### **USER NAME**

Enter the name of the user to whom a password is to be issued.

#### **PASSWORD**

Enter the password to be issued to the user on this line

#### **IN USE**

Tick should that user be activated on the DE20 system

### NOTE:

Any user name or password may be changed by simply overwriting the data in that window.

### SUBMIT

**Do not forget to submit changes**

## SETTINGS – Tables – Breakfast Product Table

Breakfast Product Table ( 2 items )					
Product Name	Acronym	Start Temp, deg C	Max Temp, deg C	Min Temp, deg C	In Use
Rolled Oats	RldOats	0	70	34	<input checked="" type="checkbox"/>
Scrambled Eggs	ScrlEg	0	45	23	<input checked="" type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

[Submit](#)

### TABLE HEADING

Breakfast Product Table (X items). The number 'X' indicates the number of products that have been entered into the table. Maximum number of products allowed is 7.

### COLUMN HEADINGS

**Product Name** Enter the name of the product. Maximum length of name is 20 characters.

**Acronym** Represent the name of the product in an acronym of maximum character length 7

**Start Temp deg C** Enter the temperature at which this product should be before the start of the rethermalisation cycle.

**Max Temp deg C** Enter the **MAXIMUM** temperature at which this product should be at the end of the rethermalisation process

**Min Temp deg C** Enter the **MINIMUM** temperature at which this product should be at the end of the rethermalisation process

**In Use** Tick should that product be activated on the DE20 system

**NOTE:** Any product name or temperature may be changed by simply overwriting the data in that window.

**SUBMIT** **Do not forget to submit changes**

### SETTINGS – Tables – Lunch/Dinner Product Table

Lunch/Dinner Product Table ( 0 items )					
Product Name	Acronym	Start Temp, deg C	Max Temp, deg C	Min Temp, deg C	In Use
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

### TABLE HEADING

Lunch/Dinner Product Table (X items). The number 'X' indicates the number of products that have been entered into the table. Maximum number of products allowed is 20.

### COLUMN HEADINGS

**Product Name**

Enter the name of the product. Maximum length of name is 20 characters.

## Acronym

Represent the name of the product in an acronym of maximum character length 7

## Start Temp deg C

Enter the temperature at which this product should be before the start of the rethermalisation cycle.

## Max Temp deg C

Enter the **MAXIMUM** temperature at which this product should be at the end of the rethermalisation process

## Min Temp deg C

Enter the **MINIMUM** temperature at which this product should be at the end of the rethermalisation process

**In Use**

Tick should that product be activated on the DE20 system

**NOTE:**

Any product name or temperature may be changed by simply overwriting the data in that window.

**SUBMIT**

**Do not forget to submit changes**

## SETTINGS – Tables – Despatch/Other Product Table

Despatch/Other Table ( 0 items )					
Item Name	Acronym	Data Start	Data Max	Data Min	In Use
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>
					<input type="checkbox"/>

### TABLE HEADING

Despatch/Other Product Table (X items). The number 'X' indicates the number of products that have been entered into the table. Maximum number of entries allowed is 15. Maximum entry length 20 characters.

### COLUMN HEADINGS

**Product Name** Enter the name of the item. Maximum length of name is 20 characters.

**Acronym** Represent the name of the item in an acronym of maximum character length 7

**Data Start** Enter the data at which this product should be before the start of the cycle.

**Data Max** Enter the **MAXIMUM** data value acceptable for this item.

**Data Min** Enter the **MINIMUM** data value acceptable for this item.

**In Use** Tick should that item be activated on the DE20 system

**NOTE:** Any item name or temperature may be changed by simply overwriting the data in that window.

**SUBMIT** **Do not forget to submit changes**

## SETTINGS – Tables – Receivables Product Table

Receivables Table ( 4 items )						
Product Name	Acronym	Suppliers	Start Temp, deg C	Max Temp, deg C	Min Temp, deg C	In Use
Cooked Meat	CkdMeat	<a href="#">edit</a>	0	40	10	<input checked="" type="checkbox"/>
Frozen Dessert	FrzDsrt	<a href="#">edit</a>	0	4	-5	<input checked="" type="checkbox"/>
Milk	Milk	<a href="#">edit</a>	0	3	2	<input checked="" type="checkbox"/>
Yoghurt	Yoghurt	<a href="#">edit</a>	0	10	5	<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>
		<a href="#">edit</a>				<input type="checkbox"/>

[Submit](#)

### TABLE HEADING

Receivables Table (X items). The number 'X' indicates the number of products that have been entered into the table. Maximum number of products allowed is 20.

### COLUMN HEADINGS

**Product Name** Enter the name of the product. Maximum length of name is 20 characters.

**Acronym** Represent the name of the product in an acronym of maximum character length 7

**Suppliers** When a product is 'In Use", clicking the 'edit' window for that product permits the entry or editing of suppliers for that product – SEE BELOW

**Start Temp deg C** NOT IN USE

**Max Temp deg C** Enter the **MAXIMUM** acceptable temperature at which this product should be when received. If this product should be received hard frozen, enter **-99** in this window.

**Min Temp deg C** Enter the **MINIMUM** acceptable temperature at which this product should be when received. If this product should be received hard frozen, enter **-99** in this window.

**In Use** Tick should that product be activated on the DE20 system

**NOTE:** Any product name or temperature may be changed by simply overwriting the data in that window.

**SUBMIT** **Do not forget to submit changes**



## SETTINGS – Suppliers

The Suppliers page is found by clicking the 'edit' window on the product line for which supplier data is to be entered or modified.

To return to the suppliers table without making entries click the '**Cancel**' window.

Suppliers ( 4 suppliers )					
Supplier Name	Acronym	In Use	Supplier Name	Acronym	In Use
Bryyopin	Bryyopin	<input type="checkbox"/>	Other	Other	<input type="checkbox"/>
Top Cut	Top Cut	<input type="checkbox"/>	Zisti	Zisti	<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>
		<input type="checkbox"/>			<input type="checkbox"/>

### TABLE HEADING

Suppliers Table (X items). The number 'X' indicates the number of suppliers for this product that have been entered into the table. Maximum number of suppliers allowed for any one product is 10.

### COLUMN HEADINGS

#### **Product Name**

Enter the name of the supplier. Maximum length of name is 20 characters.

#### **Acronym**

Represent the name of the supplier in an acronym of maximum character length 7

#### **In Use**

Tick should that product be activated on the DE20 system

#### **NOTE:**

Any product name or temperature may be changed by simply overwriting the data in that window.

#### **SUBMIT**

**Do not forget to submit changes**

#### **Cancel**

**Return to the Receivables table without making entries**